

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

BC



RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/719,088
Source: Pt/09
Date Processed by STIC: 1/23/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

BEST AVAILABLE COPY

Raw Sequence Listing Error Summary

ERROR DETECTED SUGGESTED CORRECTION

SERIAL NUMBER: 09/719,088

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1 ☐ Wrapped Nucleics The number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".
- 2 ☐ Wrapped Aminos The amino acid number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".
- 3 ☐ Incorrect Line Length The rules require that a line not exceed 72 characters in length. This includes spaces.
- 4 ☐ Misaligned Amino Acid Numbering The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs between the numbering. It is recommended to delete any tabs and use spacing between the numbers.
- 5 ☐ Non-ASCII This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
Please ensure your subsequent submission is saved in ASCII text so that it can be processed.
- 6 ☐ Variable Length Sequence(s) _____ contain n's or Xaa's which represented more than one residue.
As per the rules, each n or Xaa can only represent a single residue.
Please present the maximum number of each residue having variable length and indicate in the (ix) feature section that some may be missing.
- 7 ☐ PatentIn ver. 2.0 "bug" A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequence(s) _____. Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
- 8 ☐ Skipped Sequences (OLD RULES) Sequence(s) _____ missing. If intentional, please use the following format for each skipped sequence:
(2) INFORMATION FOR SEQ ID NO:X:
(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
This sequence is intentionally skipped

Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).
- 9 ☐ Skipped Sequences (NEW RULES) Sequence(s) _____ missing. If intentional, please use the following format for each skipped sequence.
<210> sequence id number
<400> sequence id number
000
- 10 ☒ Use of n's or Xaa's (NEW RULES) Use of n's and/or Xaa's have been detected in the Sequence Listing.
Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
- 11 ☐ Use of <213>Organism (NEW RULES) Sequence(s) _____ are missing this mandatory field or its response.
- 12 ☐ Use of <220>Feature (NEW RULES) Sequence(s) _____ are missing the <220>Feature and associated headings.
Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"
Please explain source of genetic material in <220> to <223> section.
(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)
- 13 ☐ PatentIn ver. 2.0 "bug" Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other means to copy file to floppy disk.

09/7/9,088

use numeric identifiers
~~SEQUENCE LISTING~~

Does Not Comply
Corrected Diskette Needed

<1107 Applicant: Garvan Institute of Medical Research

<1207 Title of Invention: NPY-Y7 Receptor Gene

<1407 → insert these and their responses for current application data
<1507 Prior Application Number: PP 4385
<1517 Prior Application Filing Date: 1998-06-29

<1607 Number of SEQ ID NOs: 5

<1707 Software: PatentIn Ver. 2.1

<2107 SEQ ID NO: 1

<2117 Length: 14

<2127 Type: PRT

<2137 Organism: Artificial Sequence

<2207 Feature:

<2237 Other Information: Description of Artificial Sequence: N-terminal consensus sequence

<4007 Sequence: 1 see item 10 on Enr summary sheet
Met (Xaa Xaa) Met (Xaa) Glu Lys Trp Asp (Xaa) Asn Ser Ser Glu
1 5 10

<2107 SEQ ID NO: 2

<2117 Length: 408

<2127 Type: PRT

<2137 Organism: Homo sapiens

<4007 Sequence: 2

Met Phe Ile Met Asn Glu Lys Trp Asp Thr Asn Ser Ser Glu Asn Trp
1 5 10 15

DONOT use
alphabetical headings
in new sequence
Rules format.

Please: Consult
new

sequence

Rules and

2) see
sample

sequence

Listing,

attached,

for format.

Please follow above examples for remaining
sequences.

FYI:

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Appendix A To Subpart C to Part 1—Sequence Listing

<110> Smith, John

Smith, Jane

<120> Example of a Sequence Listing

<130> 01-00001

<140> US 08/999,999

<141> 1998-02-28

<150> EP 91000000

<151> 1997-12-31

<160> 2

<170> PatentIn ver. 2.0

<210> 1

<211> 403

<212> DNA

<213> Paramecium aurelia

<220>

<221> CDS

<222> 341..394

<300>

<301> Doe, Richard

<302> Isolation and Characterization of a Gene Encoding a

Protease from Paramecium sp.

<303> Journal of Fictional Genes

<304> 1

<305> 4

<306> 1 - 7

<307> 1988-06-20

<400> 1

ctactctact ctactctcat ctactatctt ctttgatct ctgagctgc ctgagtggta 60

ctcttgagtc ctggagatct ctctctcac atgtgatcgt cgagactgac cgatagatcg 120

ctgactgact ctgagatagt cgagcccgta cgagaccgt cgagggtgac agagagtggg 180

cgcggtgcgcg cagagcgccg cgccggtgcg cgcgcgagtg cgcggtgggc cgcgcgaggg 240

ctttcgcggc agcggcggcg ctttcggcg cgcgcccgtc cgccctaga cctgagaggt 300

ctctcttcc ctctcttca ctgagaggt ctatatatac atg gtt tca atg ttc 355

Met Val Ser Met Phe

agc ttg tct ttc aaa tgg cct gga ttt tgt ttg ttt gtt tgtttgctc 403

Ser Leu Ser Phe Lys Trp Pro Gly Phe Cys Leu Phe Val

= 10

15

<210> 2

<211> 18

<212> PRT

<213> Paramecium aurelia

<400> 2

Met Val Ser Met Phe Ser Leu Ser Phe Lys Trp Pro Gly Phe Cys Leu

1

5

10

15

Phe Val

ed: May 22, 1998.

A. Lehman,

ant Secretary of Commerce and
missioner of Patents and Trademarks.

oc. 98-14194 Filed 5-29-98; 8:45 am]

1 CODE 3510-16-C

identifiers and their accompanying information as shown in the following table. The numeric identifier shall be used only in the "Sequence Listing." The order and presentation of the items of information in the "Sequence Listing" shall conform to the arrangement given below. Each item of information shall begin on a new line and shall begin with the numeric identifier enclosed in angle brackets as shown. The submission of those items of information designated with an "M" is mandatory. The submission of those items of information designated with an "O" is optional. Numeric identifiers <110> through <170> shall only be set forth at the beginning of the "Sequence Listing." The following table illustrates the numeric identifiers.

Numeric Identifier	Definition	Comments and Format	Mandatory (M) or Optional (O)
<110>	Applicant	Preferably max. of 10 names; one name per line; preferable format: Surname, Other Names, and/or Initials.	M
<120>	Title of Invention		M
<130>	File Reference	Personal file reference	M when filed prior to assignment of appl. number
<140>	Current Application Number	Specify as: US 07/999,999 or PCT/US96/99999	M, if available
<141>	Current Filing Date	Specify as: yyyy-mm-dd	M, if available
<150>	Prior Application Number	Specify as: US 07/999,999 or PCT/US96/99999	M, if applicable include priority documents under 35 USC 119 and 120
<151>	Prior Application Filing Date	Specify as: yyyy-mm-dd	M, if applicable
<160>	Number of SEQ ID NOs	Count includes total number of SEQ ID NOs	M
<170>	Software	Name of software used to create the Sequence Listing	O
<210>	SEQ ID NO: #:	Response shall be an integer representing the SEQ ID NO shown	M
<211>	Length	Respond with an integer expressing the number of bases or amino acid residues	M

<212>	Type	Whether presented sequence molecule is DNA, RNA, or PRT (protein). If a nucleotide sequence contains both DNA and RNA fragments, the type shall be "DNA." In addition, the combined DNA/RNA molecule shall be further described in the <220> to <223> feature section.	M
<213>	Organism	Scientific name, i.e. Genus/species, Unknown or Artificial Sequence. In addition, the "Unknown" or "Artificial Sequence" organisms shall be further described in the <220> to <223> feature section.	M
<220>	Feature	Leave blank after <220>. <221-223> provide for a description of points of biological significance in the sequence.	M, under the following conditions: if "n," "Xaa," or a modified or unusual L-amino acid or modified base was used in a sequence; if ORGANISM is "Artificial Sequence" or "Unknown"; if molecule is combined DNA/RNA.
<221>	Name/Key	Provide appropriate identifier for feature, preferably from WIPO Standard ST.25 (1998), Appendix 2, Tables 5 and 6	M, under the following conditions: if "n," "Xaa," or a modified or unusual L-amino acid or modified base was used in a sequence
<222>	Location	Specify location within sequence; where appropriate state number of first and last bases/amino acids	M, under the following conditions: if "n," "Xaa," or a modified or unusual L-amino acid or modified

		in feature	base was used in a sequen
<223>	Other Information	Other relevant information; four lines maximum	M, under the following conditions: if "n," "Xaa," or a modified or unusual L-amino acid or modified base was used in a sequence; if ORGANISM is "Artificial Sequence" or "Unknown"; if molecule is combined DNA/RNA.
<300>	Publication Information	Leave blank after <300>	0
<301>	Authors	Preferably max of ten named authors of publication; specify one name per line; preferable format: Surname, Other Names and/or Initials	0
<302>	Title		0
<303>	Journal		0
<304>	Volume		0
<305>	Issue		0
<306>	Pages		0
<307>	Date	Journal date on which data published; specify as yyyy-mm-dd, MMM-yyyy or Season-yyyy	0
<308>	Database Accession Number	Accession number assigned by database including database name	0
<309>	Database Entry Date	Date of entry in database; specify as yyyy-mm-dd or MMM-yyyy	0
<310>	Patent Document Number	Document number; for patent-type citations only. Specify as, for example, US 07/999,999	0

<311>	Patent Filing Date	Document filing date, for patent-type citations only; specify as yyyy-mm-dd	O
<312>	Publication Date	Document publication date, for patent-type citations only; specify as yyyy-mm-dd	O
<313>	Relevant Residues	FROM (position) TO (position)	O
<400>	Sequence	SEQ ID NO should follow the numeric identifier and should appear on the line preceding the actual sequence	M

5. Section 1.824 is revised to read as follows:

1.824 Form and format for nucleotide and/or amino acid sequence submissions in computer readable form.

(a) The computer readable form required by 1.821(e) shall meet the following specifications:

(1) The computer readable form shall contain a single "Sequence Listing" as either a diskette, series of diskettes, or other permissible media outlined in paragraph (c) of this section.

(2) The "Sequence Listing" in paragraph (a) (1) of this section shall be submitted in American Standard Code for Information Interchange (ASCII) text. No other formats shall be allowed.

(3) The computer readable form may be created by any means, such as word processors, nucleotide/amino acid sequence editors or other custom computer programs; however, it shall conform to all specifications detailed in this section.

(4) File compression is acceptable when using diskette media, so long as the compressed file is in a self-extracting format that will decompress on one of the systems described in paragraph (b) of this section.

(5) Page numbering shall not appear within the computer readable form version of the "Sequence Listing" file.

(6) All computer readable forms shall have a label permanently affixed thereto on which has been hand-printed or typed: the name of the applicant, the title of the invention, the date on which the data were recorded on the computer readable form, the operating system used, a reference number, and an application serial number and filing date, if known.

(b) Computer readable form submissions must meet these format requirements:

(1) Computer: IBM PC/XT/AT, or compatibles, or Apple Macintosh;

(2) Operating System: MS-DOS, Unix or Macintosh;